Behavioural Brain Research, 39 (1990) 281–282
Elsevier

Author Index

A

Aggleton, J.P. and Mishkin, M., Visual impairments in macaques following inferior temporal lesions are exacerbated selectively by additional damage to superior temporal sulcus, 262
Alleva, E., see Aloe, L., 53
Aloe, L., Alleva, E. and De Simone, R., Changes of NGF level in mouse hypothalamus following intermale aggressive behaviour: biological and immunohistochemical evidence, 53
Asai, M., see Díaz, J.-L., 275

B

Barth, T.M., Jones, T.A. and Schallert, T., Functional subdivisions of the rat somatic sensorimotor cortex, 73
Bock, O., Dynamic properties of human goal-directed arm movements, 240

C

Calvino, B., Is spinal cord dorsolateral funiculus involved in hypoalgesia induced by counter-irritation?, 97
Cole, B.J., see Selden, N.R.W., 29

D

De Bruyn, B., see De Weerd, P., 1
De Simone, R., see Aloe, L., 53
De Weerd, P., Vandenbussche, E., De Bruyn, B. and Orban, G.A., Illusory contour orientation discrimination in the cat, 1
Destrade, C., see Messier, C., 135
Devauges, V. and Sara, S.J., Activation of the noradrenergic system facilitates an attentional shift in the rat, 19
Díaz, J.-L. and Asai, M., Dominant mice show much lower concentrations of methionine-enkephalin in brain tissue than subordinates: cause or effect?, 275
Durkin, T., see Messier, C., 135
Dutrieux, G., see Edeline, J.-M., 145

E

Edeline, J.-M., Neuenschwander-El Massioui, N. and Dutrieux, G., Discriminative long-term retention of rapidly induced multiunit changes in the hippocampus, medial geniculate and auditory cortex, 145
Everitt, B.J., see Selden, N.R.W., 29

F

Fabre-Thorpe, M., see Levesque, F., 157

G

Gironi Carnevale, U.A., Vitullo, E. and Sadile, A.G., Post-trial NMDA receptor allosteric blockade differentially influences habituation of behavioral responses to novelty in the rat, 187

H

Harro, J., Kiivet, R.-A., Lang, A. and Vasar, E., Rats with anxious or non-anxious type of exploratory behaviour differ in their brain CCK-8 and benzodiazepine receptor characteristics, 63
Herberg, L.J. and Rose, I.C., Excitatory amino acid pathways in brain-stimulation reward, 230

I

Ishihara, T., see Nakamura, S., 113

J

Jones, T.A., see Barth, T.M., 73

K

Kiivet, R.-A., see Harro, J., 63
Krauth, J., Quantitative analysis of recovery curves, 167

L

Lang, A., see Harro, J., 63
Levesque, F. and Fabre-Thorpe, M., Visual 'cortical-recipient' and 'tectal-recipient' pontine zones play distinct roles in cat visuomotor performance, 157

M

Messier, C., Durkin, T., Mrabet, O. and Destrade, C., Memory-improving action of glucose: indirect evidence for a facilitation of hippocampal acetylcholine synthesis, 135
Meyer, M.E., see Pellis, S.M., 197

Mishkin, M., see Aggleton, J.P., 262
Mrabet, O., see Messier, C., 135
Murtha, S., Pappas, B.A. and Raman, S., Neonatal and adult forebrain norepinephrine depletion and the behavioral and cortical thickening effects of enriched/impoverished environment, 249

N

Nakamura, S. and Ishihara, T., Task-dependent memory loss and recovery following unilateral nucleus basalis lesion: behavioral and neurochemical correlation, 113
Neuenschwander-El Massioui, N., see Edeline, J.-M., 145

O

Orban, G.A., see De Weerd, P., 1

P

Pappas, B.A., see Murtha, S., 249
Pellis, S.M., Teitelbaum, P. and Meyer, M.E., Labyrinthine and visual involvement in the dorsal immobility response of adult rats, 197

R

Raman, S., see Murtha, S., 249
Robbins, T.W., see Selden, N.R.W., 29
Rose, I.C., see Herberg, L.J., 230

S

Sadile, A.G., see Gironi Carnevale, U.A., 187
Sara, S.J., see Devauges, V., 19
Schallert, T., see Barth, T.M., 73
Schmajuk, N.A., Role of the hippocampus in temporal and spatial navigation: an adaptive neural network, 205
Selden, N.R.W., Cole, B.J., Everitt, B.J. and Robbins, T.W., Damage to ceruleo-cortical noradrenergic projections impairs locally cued but enhances spatially cued water maze acquisition, 29
Szechtman, H., see Ziegler, M.G.M., 123

T

Teitelbaum, P., see Pellis, S.M., 197

V

Vandenbussche, E., see De Weerd, P., 1
Vasar, E., see Harro, J., 63
Vitullo, E., see Gironi Carnevale, U.A., 187

Z

Ziegler, M.G.M. and Szechtman, H., Relation between motor assymetry and direction of rotational behaviour under amphetamine and apomorphine in rats with unilateral degeneration of the nigrostriatal dopamine system, 123

Behavioural Brain Research, 39 (1990) 283–288
Elsevier

Key Word Index

A

Acetylcholine
Acetyl coenzyme A; High-affinity choline uptake; Hippocampus; Glucose; Memory; Mouse; Scopolamine, 135

Acetylcholinesterase
AF64A; Active avoidance learning; Morris water maze learning; Nucleus basalis of Meynert; Choline acetyltransferase; Recovery of function; Alzheimer's disease, 113

Acetyl coenzyme A
Acetylcholine; High-affinity choline uptake; Hippocampus; Glucose; Memory; Mouse; Scopolamine, 135

Active avoidance learning
AF64A; Morris water maze learning; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase; Recovery of function; Alzheimer's disease, 113

AF64A
Active avoidance learning; Morris water maze learning; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase; Recovery of function; Alzheimer's disease, 113

Aggression
Dominance rank; Brain; Methionine-enkephalin; Sociobiology; Reassembly-by-hierarchy; Inbred mouse, 275

Aggressive behaviour
Nerve growth factor; Hypothalamus; Mouse, 53

Allosteric blockade
Ketamine; Phencyclidine-like drug; *N*-Methyl-D-aspartate receptor; Long-term habituation; Novelty; Locomotor activity; Rearing activity; Làt-maze, 187

Alzheimer's disease
AF64A; Active avoidance learning; Morris water maze learning; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase; Recovery of function, 113

Amygdala
Inferior temporal cortex; Superior temporal sulcus; Klüver-Bucy syndrome; Visual discrimination; Monkey, 262

Analgesia
Pain; Counter-irritation; Formalin; Vocalization; Dorsolateral funiculus, 97

Anxiety
Behavioral difference; Elevated plus-maze; Cholecystokinin octapeptide receptor; Benzodiazepine receptor; Benzodiazepine inverse agonist; Cholecystokinin octapeptide agonist; Rat, 63

Attention
Attentional shift; Noradrenaline; Locus coeruleus; Idazoxan, 19

Attentional shift
Attention; Noradrenaline; Locus coeruleus; Idazoxan, 19

Auditory cortex
Multiunit activity; Conditioning; Medial geniculate; Hippocampus; Long-term retention; Rat, 145

B

Behavioral difference
Elevated plus-maze; Anxiety; Cholecystokinin octapeptide receptor; Benzodiazepine receptor; Benzodiazepine inverse agonist; Cholecystokinin octapeptide agonist; Rat, 63

Benzodiazepine inverse agonist
Behavioral difference; Elevated plus-maze; Anxiety; Cholecystokinin octapeptide receptor; Benzodiazepine receptor; Cholecystokinin octapeptide agonist; Rat, 63

Benzodiazepine receptor
Behavioral difference; Elevated plus-maze; Anxiety; Cholecystokinin octapeptide receptor; Benzodiazepine inverse agonist; Cholecystokinin octapeptide agonist; Rat, 63

Brain
Dominance rank; Aggression; Methionine-enkephalin; Sociobiology; Reassembly-by-hierarchy; Inbred mouse, 275

C

Cat
Illusory contour; Orientation; Discrimination; Just noticeable difference, 1

Lesion; Kainic acid; Visually guided reaching; Moving target; Visual cortex; Colliculus; Pontocerebellar projection, 157

_P_-Chlorobenzoyl-2,3-piperazine dicarboxylic acid
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

Cholecystokinin octapeptide agonist
Behavioral difference; Elevated plus-maze; Anxiety; Cholecystokinin octapeptide receptor; Benzodiazepine receptor; Benzodiazepine inverse agonist; Rat, 63

Cholecystokinin octapeptide receptor
Behavioral difference; Elevated plus-maze; Anxiety; Benzodiazepine receptor; Benzodiazepine inverse agonist; Cholecystokinin octapeptide agonist; Rat, 63

Choline acetyltransferase
AF64A; Active avoidance learning; Morris water maze learning; Nucleus basalis of Meynert; Acetylcholinesterase; Recovery of function; Alzheimer's disease, 113

Circling
Frontal cortex; Somatosensory; Forelimb placing; Recovery of function; Neglect; Homotopic cortex, 73

Locomotion; Stepping; Striatum; Dopamine, 123

Colliculus
Cat; Lesion; Kainic acid; Visually guided reaching; Moving target; Visual cortex; Pontocerebellar projection, 157

Conditioning
Multiunit activity; Medial geniculate; Auditory cortex; Hippocampus; Long-term retention; Rat, 145

Cortical thickness
Norepinehrine lesion; Dorsal tegmental bundle; Enriched environment; Maze learning, 249

Counter-irritation
Pain; Analgesia; Formalin; Vocalization; Dorsolateral funiculus, 97

Cue learning
Temporal learning; Place learning; Hippocampus; Neural network, 205

D

Dihydrokainic acid
γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

Discrimination
Illusory contour; Orientation; Just noticeable difference; Cat, 1

Dominance rank
Aggression; Brain; Methionine-enkephalin; Sociobiology; Reassembly-by-hierarchy; Inbred mouse, 275

Dopamine
Circling; Locomotion; Stepping; Striatum, 123

Dorsal bundle
Ventral bundle; Noradrenaline; Spatial learning; Stress, 29

Dorsal immobility response
Infant retrieval; Labyrinthectomy; Visual occlusion; Predation, 197

Dorsal tegmental bundle
Norepinephrine lesion; Enriched environment; Cortical thickness; Maze learning, 249

Dorsolateral funiculus
Pain; Analgesia; Counter-irritation; Formalin; Vocalization, 97

Dynamic compensation
Recovery curve; Quantitative analysis; Linear compensation; Hemivibrissotomy; Locomotion, 167

Dynamics
Motor control; Goal-directed arm movement; Velocity profile; Tremor; Neural oscillator; Load compensation; Human, 240

E

Elevated plus-maze
Behavioral difference; Anxiety; Cholecystokinin octapeptide receptor; Benzodiazepine receptor; Benzodiazepine inverse agonist; Cholecystokinin octapeptide agonist; Rat, 63

Enriched environment
Norepinephrine lesion; Dorsal tegmental bundle; Cortical thickness; Maze learning, 249

F

Forelimb placing
Frontal cortex; Somatosensory; Circling; Recovery of function; Neglect; Homotopic cortex, 73

Formalin
Pain; Analgesia; Counter-irritation; Vocalization; Dorsolateral funiculus, 97

Frontal cortex
Somatosensory; Forelimb placing; Circling; Recovery of function; Neglect; Homotopic cortex, 73

G

Glucose
Acetylcholine; Acetyl coenzyme A; High-affinity choline uptake; Hippocampus; Memory; Mouse; Scopolamine, 135

Glutamate
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

γ-D-Glutamylaminomethyl sulphonic acid (GAMS)
Dihydrokainic acid; Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-piperidine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

Goal-directed arm movement
Motor control; Dynamics; Velocity profile; Tremor; Neural oscillator; Load compensation; Human, 240

H

Hemivibrissotomy
Recovery curve; Quantitative analysis; Dynamic compensation; Linear compensation; Locomotion, 167

High-affinity choline uptake
Acetylcholine; Acetyl coenzyme A; Hippocampus; Glucose; Memory; Mouse; Scopolamine, 135

Hippocampus
Acetylcholine; Acetyl coenzyme A; High-affinity choline uptake; Glucose; Memory; Mouse; Scopolamine, 135

Multiunit activity; Conditioning; Medial geniculate; Auditory cortex; Long-term retention; Rat, 145

Temporal learning; Place learning; Cue learning; Neural network, 205

Homotopic cortex
Frontal cortex; Somatosensory; Forelimb placing; Circling; Recovery of function; Neglect, 73

Human
Motor control; Goal-directed arm movement; Dynamics; Velocity prolfile; Tremor; Neural oscillator; Load compensation, 240

Hypothalamus
Nerve growth factor; Aggressive behaviour; Mouse, 53

I

Idazoxan
Attention; Attentional shift; Noradrenaline; Locus coeruleus, 19

Illusory contour
Orientation; Discrimination; Just noticeable difference; Cat, 1

Inbred mouse
Dominance rank; Aggression; Brain; Methionine-enkephalin; Sociobiology; Reassembly-by-hierarchy, 275

Infant retrieval
Dorsal immobility response; Labyrinthectomy; Visual occlusion; Predation, 197

Inferior temporal cortex
Superior temporal cortex; Superior temporal sulcus; Amygdala; Klüver-Bucy syndrome; Visual discrimination Monkey, 262

J

Just noticeable difference
Illusory contour; Orientation; Discrimination; Cat, 1

K

Kainate
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); *N*-Methyl-D-aspartate; Glutamate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

Kainic acid
Cat; Lesion; Visually guided reaching; Moving target; Visual cortex; Colliculus; Pontocerebellar projection, 157

Ketamine
Phencyclidine-like drug; Allosteric blockade; *N*-methyl-D-aspartate receptor; Long-term-habituation; Novelty; Locomotor activity; Rearing activity; Làt-maze, 187

Klüver-Bucy syndrome
Inferior temporal cortex; Supüerior temporal sulcus; Amygdala; Visual discrimination; Monkey, 262

L

Labyrinthectomy
Dorsal immobility response; Infant retrieval; Visual occlusion; Predation, 197

Làt-maze
Ketamine; Phencyclidine-like drug; Allosteric blockade; *N*-Methyl-D-aspartate receptor; Long-term habituation; Novelty; Locomotor activity; Rearing activity, 187

Lesion
Cat; Kainic acid; Visually guided reaching; Moving target; Visual cortex; Colliculus; Pontocerebellar projection, 157

Linear compensation
Recovery curve; Quantitative analysis; Dynamic compensation; Hemivibrissotomy; Locomotion, 167

Load compensation
Motor control; Goal-directed arm movement; Dynamics; Velocity profile; Tremor; Neural oscillator; Human, 240

Locomotion
Circling; Stepping; Striatum; Dopamine, 123

Recovery curve; Quantitative analysis; Dynamic compensation; Linear compensation; Hemivibrissotomy, 167

Locomotor activity
Ketamine; Phecyclidine-like drug; Allosteric blockade; *N*-Methyl-D-aspartate receptor; Long-term habituation; Novelty; Rearing activity; Làt-maze, 187

Locus coeruleus
Attention; Attentional shift; Noradrenaline; Idazoxan, 19

Long-term habituation
Ketamine; Phencyclidine-like drug; Allosteric blockade; *N*-Methyl-D-aspartate receptor; Novelty; Locomotor activity; Rearing activity; Làt-maze, 187

Long-term retention
Multiunit activity; Conditioning; Medial geniculate; Auditory cortex; Hippocampus; Rat, 145

M

Maze learning
Norepinephrine lesion; Dorsal tegmentazl bundle; Enriched environment; Cortical thickness, 249

Medial geniculate
Multiunit activity; Conditioning; Auditory cortex; Hippocampus; Long-term retention; Rat, 145

Memory
Acetylcholine; Acetyl coenzyme A; High-affinity choline uptake; Hippocampus; Glucose; Mouse; Scopolamine, 135

Methionine-enkephalin
Dominance rank; Aggression; Brain; Sociobiology; Reassembly-by-hierarchy; Inbred mouse, 275

***N*-Methyl-D-aspartate receptor**
Ketamine; Phencyclidine-like drug; Allosteric blockade; Long-term habituation; Novelty; Locomotor activity; Rearing activity; Làt-maze, 187

Monkey
Inferior temporal cortex; Superior temporal sulcus; Amygdala; Klüver-Bucy syndrome; Visual discrimination, 262

Morris water maze learning
AF64A; Active avoidance learning; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase; Recovery of function; Alzheimer's disease, 113

Motor control
Goal-directed arm movement; Dynamics; Velocity profile; Tremor; Neural oscillator; Load compensation; Human, 240

Mouse
Acetylcholine; Acetyl coenzyme A; High-affinity choline uptake; Hippocampus; Glucose; Memory; Scopolamine, 135

Nerve growth factor; Hypothalamus; Aggressive behaviour, 53

Moving target
Cat; Lesion; Kainic acid; Visually guided reaching; Visual cortex; Colliculus; Pontocerebellar projection, 157

Multiunit activity
Conditioning; Medial geniculate; Auditory cortex; Hippocampus; Long-term retention; Rat, 145

N

Neglect
Frontal cortex; Somatosensory; Forelimb placing; Circling; Recovery of function; Homotopic cortex, 73

Nerve growth factor
Hypothalamus; Aggressive behaviour; Mouse, 53

Neural network
Temporal learning; Place learning; Cue learning; Hippocampus, 205

Neural oscillator
Motor control; Goal-directed arm movement; Dynamics; Velocity profile; Tremor; Load compensation; Human, 240

Noradrenaline
Attention; Attentional shift; Locus coeruleus; Idazoxan, 19

Dorsal bundle; Ventral bundle; Spatial learning; Stress, 29

Norepinephrine lesion
Dorsal tegmental bundle; Enriched environment; Cortical thickness; Maze learning, 249

Novelty
Ketamine; Phencyclidine-like drug; Allosteric blockade; *N*-Methyl-D-aspartate receptor; Long-term habituation; Locomotor activity; Rearing activity; Làt-maze, 187

Nucleus basalis of Meynert
AF64A; Active avoidance learning; Morris water maze learning; Choline acetyltransferase; Acetylcholinesterase; Recovery of function; Alzheimer's disease, 113

O

Orientation
Illusory contour; Discrimination; Just noticeable difference; Cat, 1

P

Pain
Analgesia; Counter-irritation; Formalin; Vocalization; Dorsolateral funiculus, 97

Phencyclidine-like drug
Ketamine; Allosteric blockade; *N*-Methyl-D-aspartate receptor; Long-term habituation; Novelty; Locomotor activity; Rearing activity; Làt-maze, 187

***cis*-2,3-Piperidine dicarboxylic acid**
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

Place learning
Temporal learning; Cue learning; Hippocampus; Neural network, 205

Pontocerebellar projection
Cat; Lesion; Kainic acid; Visually guided reaching; Moving target; Visual cortex; Colliculus, 157

Predation
Dorsal immobility response; Infant retrieval; Labyrinthectomy; Visual occlusion, 197

Q

Quantitative analysis
Recovery curve; Dynamic compensation; Linear compensation; Hemivibrissotomy; Locomotion, 167

Quisqualate
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

R

Rat
Behavioral difference; Elevated plus-maze; Anxiety; Cholecystokinin octapeptide receptor; Benzodiazepine receptor; Benzodiazepine inverse agonist; Cholecystokinin octapeptide agonist, 63

Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3 piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum, 230

Multiunit activity; Conditioning; Medial geniculate; Auditory cortex; Hippocampus; Long-term retention, 145

Rearing activity
Ketamine; Phencyclidine-like drug; Allosteric blockade; *N*-Methyl-D-aspartate receptor; Long-term habituation; Novelty; Locomotor activity; Làt-maze, 187

Reassembly-by-hierarchy
Dominance rank; Aggression; Brain; Methionine-enkephalin; Sociobiology; Inbred mouse, 275

Recovery curve
Quantitative analysis; Dynamic compensation; Linear compensation; Hemivibrissotomy; Locomotion, 167

Recovery of function
Frontal cortex; Somatosensory; Forelimb placing; Circling; Neglect; Homotopic cortex, 73

AF64A; Active avoidance learning; Morris water maze learning; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase; Alzheimer's disease, 113

S

Scopolamine
Acetylcholine; Acetyl coenzyme A; High-affinity choline uptake; Hippocampus; Glucose; Memory; Mouse, 135

Self-stimulation
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; L-Threo-3-hydroxyaspartic acid; Ventral tegmentum; Rat, 230

Sociobiology
Dominance rank; Aggression; Brain; Methionine-enkephalin; Reassembly-by-hierarchy; Inbred mouse, 275

Somatosensory
Frontal cortex; Forelimb placing; Circling; Recovery of function; Neglect; Homotopic cortex, 73

Spatial learning
Dorsal bundle; Ventral bundle; Noradrenaline; Stress, 29

Stepping
Circling; Locomotion; Striatum; Dopamine, 123

Stress
Dorsal bundle; Ventral bundle; Noradrenaline; Spatial learning, 29

Striatum
Circling; Locomotion; Stepping; Doamine, 123

Superior temporal sulcus
Inferior temporal cortex; Amygdala; Klüver-Bucy syndrome; Visual discrimination; Monkey, 262

T

Temporal learning
Place learning; Cue learning; Hippocampus; Neural network, 205

L-Threo-3-hydroxyaspartic acid
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; Self-stimulation; Ventral tegmentum; Rat, 230

Tremor
Motor control; Goal-directed arm movement; Dynamics; Velocity profile; Neural oscillator; Load compensation; Human, 240

V

Ventral bundle
Dorsal bundle; Noradrenaline; Spatial learning; Stress, 29

Ventral tegmentum
Dihydrokainic acid; γ-D-Glutamylaminomethyl sulphonic acid (GAMS); Glutamate; Kainate; *N*-Methyl-D-aspartate; *p*-Chlorobenzoyl-2,3-piperazine dicarboxylic acid; *cis*-2,3-Piperidine dicarboxylic acid; Quisqualate; Self-stimulation; L-Threo-3-hydroxyaspartic acid; Rat, 230

Velocity profile
Motor control; Goal-directed arm movement; Dynamics; Tremor; Neural oscillator; Load compensation; Human, 240

Visual cortex
Cat; Lesion; Kainic acid; Visually guided reaching; Moving target; Colliculus; Pontocerebellar projection, 157

Visual discrimination
Inferior temporal cortex; Superior temporal sulcus; Amygdala; Klüver-Bucy syndrome; Monkey, 262

Visually guided reaching
Cat; Lesion; Kainic acid; Moving target; Visual cortex; Colliculus; Pontocerebellar projection, 157

Visual occlusion
Dorsal immobility response; Infant retrieval; Labyrinthectomy; Predation, 197

Vocalization
Pain; Analgesia; Counter-irritation; Formalin; Dorsolateral funiculus, 97